



Well-known home
Quality home
Smart home
世家 优家 智家

©地址: 江苏省汾湖高新技术产业开发区康力大道888号
©电话: 0512-63290000
©传真: 0512-63293938
©网址: www.canny-elevator.com
©电子信箱: (国内) sales@canny-elevator.com
(国外) export@canny-elevator.com
©400客户服务热线: 400-188-2367
©邮编: 215213

©Add: No.888, Kangli Road, FOHO New & Hi-Tech Industrial
Development Zone, Jiangsu Province, China.
©Tel: +86-512-63290000 63297851
©Fax: +86-512-63299709
©URL: www.canny-elevator.com
©E-mail: export@canny-elevator.com
©P.C: 215213



扫描二维码关注
康力电梯微信公众号
Scan the QR code and pay attention to
CANNY ELEVATOR WeChat Public Number

Home Lift

家用电梯

本书为一般信息类出版物,我们保留随时更改产品设计和说明的权利,所有图片和颜色可能与实物有所不同,请以实物为准。
康力电梯股份有限公司©版权所有 2024-V3.0版



Carry People and Dreams
Enrich Your Smart Life

承载人与梦想 丰富智慧生活

关于康力

康力电梯股份有限公司成立于1997年，是一家集设计、制造、销售、安装、维保于一体的现代化专业电梯企业。2010年康力在深交所上市，是中国电梯行业首个A股上市企业。康力以做强民族品牌为己任致力于成为极具国际竞争力的综合服务商和品牌运营商，综合实力和产业规模居行业前茅。

About CANNY

Founded in 1997, CANNY Elevator Co., Ltd. is a professional modern lift enterprise engaging in design, manufacturing, sales, installation, and maintenance. Listed on the Shenzhen Stock Exchange in 2010, CANNY is the first A-shares enterprise in China's lift industry. Aiming to build a strong national brand, CANNY devotes itself to becoming a comprehensive service supplier and brand operator with international competitiveness. CANNY is one of the best lift enterprises in comprehensive strength and industrial scale.

TOP10

全球十大电梯制造商TOP10
Global top 10 elevator
manufacturer



国家认定企业技术中心
State recognized enterprise
technology center

100+

100+分公司和服务中心
100+ branches and
service centers



完备的核心部件产业链
A complete industrial
chain of core parts



A Beautiful Life Starts from Your Home
CANNY Creates a Beautiful Life for You

美好生活 从家开始 康力电梯点亮“向往的生活”

别墅出行新方式 品质生活新定义

康力家用电梯——

专为美居而生，为您解锁生活的不同“享”法。

New way of travel in villa, New definition of quality life
CANNY Home Elevator——Designed for Mercure,
unlocking different ways of enjoying your life



Create a Happy Life
by Excellent Performance

以卓越性能 创生活之幸

康力以超越标准的优秀品质，
全力打造不凡的电梯出行体验。

With high quality exceeding standards,
CANNY spares no effort to create extraordinary transport experiences.



更安全
More Safer



更节能
More Energy-saving



更平稳
More Stable



更舒适
More Comfortable

追求理想生活，从拥有舒适感的家开始
康力家用电梯，家的共同选择

The pursuit of an ideal life starts from a comfortable home
CANNY's home lift series is a common choice of different families



应用永磁同步技术，有效节能40%以上

It adopts the permanent magnetic synchronous technology, effectively saving over 40% of energy.



使用220V家用电源，运行功率之小与普通家电相当

It uses a 220V home power source so it is equal to ordinary home appliances in operating power.



加减速曲线平缓，系统自动计算最佳运行状态，运行平稳舒适

The acceleration and deceleration curves are gentle and the system automatically computes the optimum operating state so it is stable and comfortable.



植入自主研发的一键式呼叫功能，实现意外发生后快速脱困

The independently developed one-button call function enables trapped passengers to get out quickly after accidents.



智能光幕灵敏监测，实时保障出入安全

The sensitive monitoring of the intelligent light curtain ensures the safety of passengers getting in and out of lifts in real time.



每台配备独立的安全制动，并搭载全方位的安全保护系统

Every lift is equipped with an independent safety brake and an all-round safety protection system.



使用通过800万次可靠验证的永磁门系统

The permanent magnetic door system has passed the reliability demonstration 8 million times.



使用绿色环保材料，打造“静音、环保”的绿色乘梯空间

It uses green eco-friendly materials to create a quiet eco-friendly green lift space.



可用语音呼梯、手机呼梯、感应呼梯，为用户提供更方便快捷的乘梯体验

Users can call lifts by voice, mobile phone and sensor. It provides users with more convenient and quicker transport experiences.



可与手机互联，电梯状态随时掌握

Users can know the state of lifts at any time by mobile phone.

With Greater Strength
CANNY Creates Excellent Home Transport Experiences

用进阶实力 创领人居出行之美

康力家用电梯搭载领先技术，
全新的智能家居体验，打造全维度的自在、舒适感受。

CANNY's home lift series adopts leading technologies
and creates easy and comfortable experiences of smart home life.

SIL3
拥有行业SIL3等级安全认证，
融合多重困人解决方案，
电梯使用更安心
Holding the SIL3 safety certificate for
the lift industry, CANNY offers
multiple solutions for trapped people
so the lift is safer.

AI
智能科技加持，
具备轿厢内摔倒检测、困人检测
The intelligent technology enables it to
recognize fallen or trapped people in
cars.


使用家用电梯专用驱动，
上下乘行更舒适
The drive dedicated to home lifts ensures
more comfortable transport experiences.



使用新型小巧、超静音控制柜，
兼具故障自动救援、停电应急救援等功能，
不仅静音也更安全

The small ultra-quiet new control cabinet, with
automatic rescue after breakdowns, emergency
rescue after power failure and other functions, is
quiet and safer.



采用无缝集成控制与驱动，
实现精准控制，保障电梯平稳运行，
实现最佳舒适感

It adopts seamless integrated control and drive which
achieve accurate control, ensure stable operation,
and realize the most comfortable transport.

匠心细节，承载美好生活的期许
力达卓越，打造极致的乘梯体验
康力电梯，让私宅出行惬意自如

With ingenuity in details, CANNY creates a good
life for you.
Pursuing excellence, CANNY creates excellent
transport experiences.
CANNY offers quality home lifts to ensure
pleasant indoor transport.


CANNY Facilitates Quality Transport
for All People in an All-round Way

用全能姿态 助力全民品质出行


康力电梯有着成熟的土建经验，多元化解决方案，
可针对不同建筑结构、建筑空间，为您定制适配度最高的安装及入户方案。

With mature experience in civil engineering and diversified solutions,
CANNY can customize the most suitable installation and entrance solutions for you according to different
building structures and spaces.


- 无需建筑墙体开孔，定位简单，安装便捷
- 井道利用率高，对重位置灵活，可侧置、后置，安全可靠
- 突破空间限制的全建筑结构解决方案
- Without the need to open holes in building walls, it is easy to fix and convenient to install.
- It boasts a high ratio of well utilization and a flexible position of counterweights, which can be mounted on sides or at the rear, safe and reliable.
- It offers overall building structure solutions breaking the space limit.




01 混凝土井道
Concrete Well




02 环绕楼梯中间
The Middle of Spiral Stairs




03 中空大厅
Hollow Hall



04 室内楼板开孔
Bore Indoor Floors



05 室外梯
Outdoor Stairs



06 入户门厅
Entrance Hall

全生命周期专业服务

康力六大特色服务，
完美落地每一位客户的个性化定制服务

Life-cycle Professional Services

With six major signature services, CANNY perfectly offers
personalized custom-made services to every customer.



前期服务能力
Early-stage Service Ability



快速设计服务能力
Quick Design Service Ability



个性化设计服务能力
Personalized Design
Service Ability



智能制造能力
Intelligent Manufacturing
Ability



快速安装维保服务能力
Quick Installation and
Maintenance Service Ability



优质售后服务能力
Excellent After-sales
Service Ability

专业服务 专业定制 快速响应
康力电梯懂生活·更懂你的个性品味

Professional Service Professional Customization Quick Response
CANNY Understands Life and Knows Your Personalized Taste Even Better

Concentrate on Home Lifts
Well-known Home · Quality Home · Smart Home

专注为家 世家·优家·智家

主流梯型全覆盖,设计不拘泥传统,灵活适配各种建筑条件,
全面满足用户需求,全方位解码奢适空间。

The series covers all mainstream lift models, doesn't stick to traditional design, and can
flexibly adapt to various building conditions.
It can meet user requirements and create a luxury comfortable space in an all-round way.

世家系列·钢带曳引 Well-known home series



应用复合钢带

- 减小曳引轮径,优化空间布局,节省井道空间
- 运行噪音更低,提升效率,带来更舒适的体验

The composite steel belt is used

- It reduces the diameter of driving sheaves, optimizes the spatial layout, and saves the shaft space.
- It boasts lower noise, improves efficiency, and offers more comfortable experiences.

使用高效节能型主机

- 运转平稳,电机传动效率可达90%
- 体积比传统主机小70%,结构更紧凑,更节省建筑空间


The efficient energy-saving traction machine is used

- It runs smoothly and steadily with the transmission efficiency as high as 90%.
- It is 70% smaller than traditional traction machines, has a more compact structure and saves more building space.

- 载重: 250-400kg
- 额定速度: 0.4m/s
- 最大提升高度: 18m
- Load: 250-400kg
- Rated speed: 0.4m/s
- Maximum lifting height: 18m



智家系列·集成背包 Smart home series



采用新型集成轿架设计

- 集成背包结构和轿厢系统中心与承载中心重合的新型布局,突破背包结构,实现平稳运行

It adopts new integrated car frame design

- The new layout that the centers of the integrated backpack structure and the car system coincide with the bearing center changes the backpack structure and ensures stable operation

紧凑空间 合理布局

- 井道利用率更高,一平米即可实现电梯的安装和使用

Compact space reasonable layout

- Thanks to the higher ratio of shaft utilization, lifts can be installed and used in a one-square-meter space

- 载重: 180-400kg
- 额定速度: 0.3m/s
- 曳引比: 2: 1
- 最大提升高度: 15m
- Load: 180-400kg
- Rated speed: 0.3m/s
- Traction ratio: 2:1
- Maximum lifting height: 15m



全力匹配理想的垂直出行解决方案,康力家用电梯系列,总有一款适合您。

Sparing no effort to offer ideal solutions to vertical transport,
CANNY's home lift series always provides suitable products for you.

优家系列·龙门架 Quality home series

采用传统结构设计

- 常规客梯龙门架模式,受力均匀,架构简单

Traditional structural design is adopted

- The gantry model of conventional passenger lifts features balanced stress and a simple structure.



小顶层设计

- 应用部件布置设计提供小顶层需求,可充分满足和匹配各类建筑

Small overhead design

- The layout of parts is designed suitable for small overhead so it is fully suited to various buildings.

- 载重: 250-400kg
- 额定速度: 0.4m/s
- 曳引比: 2:1
- 最大提升高度: 15m
- Load: 250-400kg
- Rated speed: 0.4m/s
- Traction ratio: 2:1
- Maximum lifting height: 15m



Classic Style

经典风格

KL/J22-403

吊顶 Ceiling

KL/DD-J403 原色发纹, 亚克力, LED照明

KL/DD-J403 hairline finishing surface in primary color, acrylic, LED lighting

轿壁 Car wall

贴膜钢板, 原色镜面, 原色发纹
Laminated steel plate, mirror surface in primary color, hairline finishing surface in primary color

前壁 Front wall

原色发纹
Hairline finishing surface in primary color

地板 Floor

KL/JD-J353 PVC
KL/JD-J353 PVC

轿门 Car door

原色发纹
Hairline finishing surface in primary color

印刷颜色与实物色彩可能存在差异, 请以实物为准。

The printed colors may differ from actual colors. Please refer to actual products.



Italian-type Entry-lux

意式轻奢

KL/J22-409

吊顶 Ceiling

钛黑镜面, 波纹板, LED照明
Titanium black mirror, corrugated plate,
LED lighting

轿壁 Car wall

钛黑镜面, 木饰面, 艺术工艺板, LED照明
Titanium black mirror, wood finish, artwork
board, LED lighting

前壁 Front wall

钛黑发纹
Titanium black hairline

地板 Floor

大理石拼花
Marble mosaic

扶手 Handrail

黑金扁钢
Black gold flat steel

轿门 Car door

钛黑发纹
Titanium black hairline

印刷颜色与实物色彩可能存在差异, 请以实物为准。

The printed colors may differ from actual colors. Please refer to
actual products.



Italian-type Entry-lux

意式轻奢

KL/J22-502

吊顶 Ceiling

进口钢板, LED照明
Imported steel plate, LED lighting

轿壁 Car wall

进口钢板, 原色镜面, 原色镜面蚀刻
Imported steel plate, mirror surface in primary color, etched mirror surface in primary color

前壁 Front wall

钛黑发纹
Titanium black hairline

扶手 Handrail

金色圆管
Golden round tube

地板 Floor

PVC
PVC

轿门 Car door

钛黑发纹
Titanium black hairline

印刷颜色与实物色彩可能存在差异, 请以实物为准。
The printed colors may differ from actual colors. Please refer to actual products.



Elegant neo-Chinese Style

雅韵新中式

KL/J23-553

吊顶 Ceiling

原色镜面, 波纹板, LED照明
Mirror surface in primary color, corrugated panel, LED lighting

轿壁 Car wall

原色镜面, 原色镜面蚀刻,
艺术花纹不锈钢, LED照明
Mirror surface in primary color, etched mirror surface in primary color, art pattern stainless steel, LED lighting

前壁 Front wall

原色发纹
Hairline finishing surface in primary color

地板 Floor

PVC
PVC

扶手 Handrail

黑色方管
Black square tube

轿门 Car door

原色发纹
Hairline finishing surface in primary color

印刷颜色与实物色彩可能存在差异,
请以实物为准。

The printed colors may differ from actual colors.
Please refer to actual products.



Elegant neo-Chinese Style

雅韵新中式



KL/J23-554

吊顶 Ceiling

玫瑰金镜面, 亚克力, 进口钢板, LED照明
Rose gold mirror, acrylic, imported steel plate, LED lighting

轿壁 Car wall

玫瑰金镜面, 玫瑰金镜面蚀刻, 玫瑰金发纹, LED照明
Rose gold mirror, rose gold mirror etching, rose gold hairline, LED lighting

前壁 Front wall

玫瑰金发纹
Rose gold hairline

地板 Floor

大理石, 钢条
Marble, bronze strip

扶手 Handrail

黑金方管
Black gold square tube

轿门 Car door

玫瑰金发纹
Rose gold hairline

印刷颜色与实物色彩可能存在差异, 请以实物为准。

The printed colors may differ from actual colors. Please refer to actual products.





Miaoyu

妙玉

KL-J23-561G

吊顶 Ceiling

天空之境 KL-DD-HF1 (镜面不锈钢+灯带)
Skyscape KL-DD-HF1 (Mirror stainless steel + lamp strip)

前壁 Front wall

幻影黑喷涂钢板 (胶丝可选)
Phantom black spray steel plate (plastic silk optional)

轿壁 Car wall

型材框架, 夹胶玻璃, 双色无极调光灯带,
幻影黑喷涂钢板 (胶丝可选)
Profile frame, laminated glass, two-color
endless dimming light strip, phantom black
spray steel plate (plastic silk optional)

地板 Floor

范特斯灰 KL-DP-HF4 (岩板)
Vantes ash KL-DP-HF4 (Rock slab)

扶手 Handrail

可选配
Optional

轿门 Car door

型材框架, 夹胶玻璃
Profile frame, laminated glass



印刷颜色与实物色彩可能存在差异, 请以实物为准。

The printed colors may differ from actual colors. Please refer to actual products.



Stream of light is passing by

流光掠影

KL-J23-561A

吊顶 Ceiling

天空之境 KL-DD-HF1 (镜面不锈钢+灯带)
Skyscape KL-DD-HF1
(Mirror stainless steel + lamp strip)

轿壁 Car wall

科技木、抗指纹黑钛和纹不锈钢、
黑色T型材线条、陶瓷白化妆钢板
Technology wood, anti-fingerprint black
titanium brushed stainless steel,
black T profile line, ceramic white
cosmetic steel plate

前壁 Front wall

抗指纹黑钛和纹不锈钢
Anti-fingerprint black titanium brushed
stainless steel

地板 Floor

朱鹭白 KL-DP-HF1 (岩板)
Ibis white KL-DP-HF1 (Rock slab)

踢脚线 Skirting line

LED灯带型材踢脚线
LED light strip profile skirting line

轿门 Car door

抗指纹黑钛和纹不锈钢
Anti-fingerprint black titanium brushed
stainless steel

印刷颜色与实物色彩可能存在差异，
请以实物为准。

The printed colors may differ from actual colors.
Please refer to actual products.





Calligraphy
family

翰墨世家

KL-J23-561B

吊顶 Ceiling

玉壶光转 KL-DD-HF2 (蜂窝铝板+筒灯+泛光灯带)
Jade Pot Light KL-DD-HF2
(Honeycomb aluminum plate + downlight + Floodlight strip)

轿壁 Car wall

西兰酸木、抗指纹黑钛和纹不锈钢、
黑色T型材线条、陶瓷白化妆钢板
Xylanic acid wood, anti-fingerprint black titanium brushed
stainless steel, black T profile line, ceramic white cosmetic
steel plate

前壁 Front wall

抗指纹黑钛和纹不锈钢
Anti-fingerprint black titanium brushed stainless steel

印刷颜色与实物色彩可能存在差异, 请以实物为准。
The printed colors may differ from actual colors. Please refer to actual products.

踢脚线 Handrail

LED灯带型材踢脚线
LED light strip profile skirting line

地板 Floor

爱马仕灰 KL-DP-HF2 (岩板)
Hermes Grey KL-DP-HF2 (Rock slab)

轿门 Car door

抗指纹黑钛和纹不锈钢
Anti-fingerprint black titanium brushed
stainless steel



Shuimu
Tsinghua
水木清华

KL-J23-561C

吊顶 Ceiling

寒江之雪 KL-DD-HF3 (发光灯板)
Snow on the Cold River KL-DD-HF3 (Light board)

轿壁 Car wall

白橡、抗指纹和纹不锈钢、
黑色T型材线条、陶瓷白化妆钢板
White rubber, anti-fingerprint brushed stainless steel,
black T profile line, ceramic white cosmetic steel plate

前壁 Front wall

抗指纹和纹不锈钢
Anti-fingerprint brushed stainless steel

印刷颜色与实物色彩可能存在差异, 请以实物为准。
The printed colors may differ from actual colors. Please refer
to actual products.

踢脚线 Handrail

LED灯带型材踢脚线
LED light strip profile skirting line

地板 Floor

盛夏精灵 KL-DP-HF3 (岩板)
Midsummer Spirit KL-DP-HF3 (Rock slab)

轿门 Car door

抗指纹和纹不锈钢
Anti-fingerprint brushed stainless steel

Secret Language of the Stars

星辰密语



KL-J23-561D

吊顶 Ceiling

繁星闪烁 KL-DD-HF4
(黑色铝蜂窝板+光纤+灯带)
Stars shining KL-DD-HF4 (Black aluminum
honeycomb panel + Optical fiber + light strip)

轿壁 Car wall

帝王翡翠 KL-DP-HF5 (岩板)、抗指纹黑钛和纹
不锈钢、黑色T型材线条、陶瓷白化妆钢板
Imperial Jadeite KL-DP-HF5 (Rock plate), anti-fingerprint
black titanium brushed stainless steel, black T profile
line, ceramic white cosmetic steel plate

前壁 Front wall

抗指纹黑钛和纹不锈钢
Anti-fingerprint black titanium brushed stainless steel

地板 Floor

帝王翡翠 KL-DP-HF5 (岩板)
Imperial Jadeite KL-DP-HF5 (Rock slab)

踢脚线 Skirting line

LED灯带型材踢脚线
LED light strip profile skirting line


轿门 Car door

抗指纹黑钛和纹不锈钢
Anti-fingerprint black titanium brushed stainless steel

印刷颜色与实物色彩可能存在差异，
请以实物为准。
The printed colors may differ from actual colors.
Please refer to actual products.




吊顶选项



KL-DD-HF1
天空之境
镜面不锈钢+灯带
无偿选配



KL-DD-HF2
玉壶光转
蜂窝铝板+筒灯+泛光灯带
无偿选配



KL-DD-HF3
寒江之雪
发光灯板
有偿选配



KL-DD-HF4
繁星闪烁
黑色铝蜂窝板+光纤+灯带
有偿选配

注: 吊顶适用于KL-J23-561系列和KL/J22-403轿厢

后装饰板选材



科技木



西兰酸木



白橡



银梨



胡桃木

注: 装饰板材适用于KL-J23-561系列轿厢

岩板选项



KL-DP-HF1
朱鹭白



KL-DP-HF2
爱马仕灰



KL-DP-HF3
盛夏精灵



KL-DP-HF4
范特斯灰



KL-DP-HF5
帝王翡翠

注: 岩板适用于KL-J23-561系列和KL/J22-403轿厢

Human Computer
Interaction System

人机交互系统

操纵盘 Operation Panel



KL1132-1C

尺寸:705*170mm

- ① 金属面板(月光银、玫瑰金、太空黑)
- ② 树脂按钮
- ③ LED段码显示
- ④ 一键救援功能
- ⑤ 最高6层



KL1132-2C

尺寸:705*170mm

- ① LOGO发光设计
- ② 黑色玻璃面板(面板可选白色)
- ③ 触摸按钮
- ④ LED段码显示
- ⑤ 一键救援功能
- ⑥ 最高6层



KL1134-1C

抗指纹钛黑和纹(一体式)



KL1134-2C

黑色玻璃(一体式)



KL1134-2C

白色玻璃(一体式)

操纵盘 Operation Panel



KL1128C

325*166*6mm

- ① 10.1寸触摸屏
- ② 手机APP控制功能
- ③ 密码设置功能
- ④ 一键救援功能
- ⑤ 天气预报实时更新
- ⑥ 最高8层



KL1133C

400*200mm

- ① 旋钮选层功能
- ② 7寸显示屏
- ③ 钢化玻璃面板
- ④ 一键救援功能
- ⑤ 最高8层



KL1135C

350*201*11.5mm

- ① 13.3寸触摸屏
- ② 一键救援功能
- ③ 天气预报实时更新
- ④ 支持童锁功能
- ⑤ 可选配防跌倒检测功能
- ⑥ 最高6层

外呼 Outbound



KL1331H

尺寸:95*60*14mm

- ① 无底盒外呼
- ② 玻璃面板
- ③ 触摸按钮



KL1332H

尺寸:130*60*14mm

- ① 无底盒外呼
- ② 玻璃面板
- ③ 触摸按钮



KL1334H

尺寸:260*90*12.5mm

- ① 无底盒外呼
- ② 曲面2.5D造型,大视窗段码显示
- ③ 机械按钮



KL1335H

尺寸:164*58*19mm

- ① 无底盒外呼
- ② 钢化玻璃
- ③ 红外触摸按钮



KL1281-1H

尺寸:φ76*13mm

- ① 钢化玻璃面板
- ② 手势+感应+语音三合一呼梯



KL1291H

尺寸:220*87*13mm

- ① 钢化玻璃面板
- ② 标配颜色:黑色
- ③ 可选颜色:香槟金、苹果白
- ④ 机械按钮

注:外呼显示字符范围为:1~9、-1~9、B1、B2,其中KL1331H、KL1332H、KL1335H三款外呼无法显示B1、B2,如需求超出以上显示范围,请与技术确认。



Frame Well

框架井道

可自带框架钢井道，造型高雅，用材精致，
简易快速组装，为用户空间的利用提供灵活的安装方案



幻影黑
Phantom black

有偿选配 Paid options

透明夹胶玻璃侧板
幻影黑门框
透明夹胶玻璃门板



流沙金
Quicksand gold

有偿选配 Paid options

透明夹胶玻璃侧板
流沙金门框
透明夹胶玻璃门板



星空灰
Sky grey

有偿选配 Paid options

透明夹胶玻璃侧板
星空灰门框
透明夹胶玻璃门板



冰晶白
Ice crystal white

有偿选配 Paid options

透明夹胶玻璃侧板
冰晶白门框
透明夹胶玻璃门板



幻影黑
Phantom black



流沙金
Quicksand gold



星空灰
Sky grey



冰晶白
Ice crystal white

印刷颜色与实物色彩可能存在差异，请以实物为准。

The printed colors may differ from actual colors. Please refer to actual products.

Landing Door Series

厅门系列

平开手拉门

Side-hinged manual door

宽门框型 Wide door frame type



KL/M-SL003
有偿选配
Paid options
星空灰, 夹绢玻璃



KL/M-SL004
有偿选配
Paid options
冰晶白, 磨砂玻璃



KL/M-SL001
宽门框型/幻影黑

KL/M-SL002
宽门框型/流沙金

KL/M-SL003
宽门框型/星空灰

KL/M-SL004
宽门框型/冰晶白

窄门框型 Narrow door frame type



KL/M-SL005
有偿标配
Paid standard
幻影黑, 透明玻璃



KL/M-SL006
有偿选配
Paid options
流沙金, 磨砂玻璃



KL/M-SL005
窄门框型/幻影黑

KL/M-SL006
窄门框型/流沙金


KL/M-SL007
窄门框型/星空灰

KL/M-SL008
窄门框型/冰晶白

平开自动门

Side-hinged automatic door

有偿选配 Paid options



KL/M-PK001
幻影黑, 蓝色灯光

KL/M-PK002
流沙金, 蓝色灯光

KL/M-PK003
星空灰, 蓝色灯光

KL/M-PK004
冰晶白, 蓝色灯光

KL/M-PK005
幻影黑, 白色灯光


KL/M-PK006
流沙金, 白色灯光

KL/M-PK007
星空灰, 白色灯光

KL/M-PK008
冰晶白, 白色灯光

玻璃门、井道侧板选型


Selection of glass doors and side well plates



5+5磨砂胶片玻璃
5+5 frosted filmglass



5+5透明玻璃
5+5 clear glass



欧灰胶片玻璃
European grey film glass

拉手选型

Selection of handle



KL-LS001



KL-LS002



KL-LS003

材质: 铝镁合金
颜色: 幻影黑, 流沙金, 星空灰, 冰晶白
※ 以上拉手材质、颜色相同
Material: Aluminum-magnesium alloy
Color: Phantom black, quicksand gold, star grey, Ice crystal white
Above handles are with same material and same color.

自动门

Automatic door

印刷颜色与实物色彩可能存在差异, 请以实物为准。
The printed colors may differ from actual colors. Please refer to actual products.



KL-TM 001
标配 Standard
厅门: 发纹不锈钢
门套: 发纹不锈钢



KL-TM 005
有偿选配 Paid options
厅门: 发纹不锈钢, 玻璃
门套: 发纹不锈钢



KL/M-4039
有偿选配 Paid options
厅门: 发纹蚀刻
门套: 发纹不锈钢



KL/M-4050
有偿选配 Paid options
厅门: 镜面蚀刻镀玫瑰金
门套: 玫瑰金镜面



KL/M-4053
有偿选配 Paid options
厅门: 镜面蚀刻
门套: 镜面不锈钢



KL/M-4059
有偿选配 Paid options
厅门: 镜面蚀刻镀香槟金
门套: 香槟金镜面



KL/M-4063
有偿选配 Paid options
厅门: 发纹蚀刻镀古铜
门套: 古铜发纹



KL/M-4069
有偿选配 Paid options
厅门: 镜面蚀刻镀玫瑰金
门套: 玫瑰金镜面



KL/M-4077
有偿选配 Paid options
厅门: 发纹蚀刻镀钛金
门套: 发纹镀钛金



KL/M-4081
有偿选配 Paid options
厅门: 镜面蚀刻镀钛黑
门套: 钛黑镜面

List of Specifications

全系列规格表

梯型 Elevator type	世家系列 钢带曳引 Well-known home series	优家系列 龙门架 Quality home series	智家系列 集成背包 Smart home series	备注 Remark
额定速度 Rated speed	0.4	0.4	0.3	GB/T21739《家用电梯制造与安装规范》规定 The stipulations of the Rules for the Construction and Installation of Home Elevators GB/T21739
最大提升高度 Maximum traveling height	18/12	15	15	GB/T21739《家用电梯制造与安装规范》 规定最大提升高度12m According to the Rules for the Construction and Installation of Home Elevators GB/T21739, the maximum traveling Height is12m
最小顶层高度 Minimum overhead	轿顶轮：3100 轿底轮：2800 Car top wheel: 3100 Car bottom wheel: 2800	2800	2900	验收要求最小顶层高度3150 According to the acceptance requirement, the minimum overhead is 3,150mm
最小底坑深度 Minimum pit depth	轿顶轮：270/150 轿底轮：320 Car top wheel: 270/150 Car bottom wheel: 320	320	150	验收要求最小底坑深度450 轿底装潢选择岩板时底坑深度需增加10 轿底装潢选择大理石时底坑深度需增加20 Acceptance requirements minimum pit depth 450 When selecting rock slab for car bottom decoration, the pit depth should be increased by 10 When marble is selected for the decoration of the bottom of the car, the pit depth should be increased by 20
最小提升高度 Maximum traveling height		2400		
最小层高 Minimum floor height		2400		
适用井道 Suitable for wells		混凝土井道/框架 Concrete wells/frames		
主机布置 Machine arrangement		上置式井道顶部 On well top		
控制柜布置 Control cabinet arrangement		顶层厅门旁（墙内） Beside the top landing door [embedded in the wall]		
对重位置 Counterweight position	侧置/后置 Side/Rear	侧置 Side	后置 Rear	
出入口方式 Access mode	单开 Single open	单开 Single open	单开 Single open	标配 Standard
	贯通 Through opening	贯通 Through opening	／	
	／	／	直角贯通 90-degree Through opening	直角手拉门 90-degree Opening Manual Door
开门方式 Door opening model	中分自动门 Automatic center opening door	中分自动门 Automatic center opening door	平开手拉门 Side-hinged manual door	标配 Standard
	旁开自动门 Automatic side-opening door	旁开自动门 Automatic side-opening door	／	
动力电源 Power supply	220V单相 220 V single phase	220V单相 220 V single phase	220V单相 220 V single phase	标配 Standard


List of Functions

功能列表

 安全保护 Safety Protection	 可靠运行 Reliable Operation	 节能舒适 Energy-saving and Comfortable
01 安全回路保护 Safety Circuit Protection	01 轿门开门限制装置 Limit Device for Car Door Opening	01 闲时轿厢内照明及风扇自动停止 Car Lamps and Fans Stop Automatically When the Lift is on Standby
02 门联锁保护 Door Interlock Protection	02 楼层信号自动校正 Automatic Correction of Floor Signals	02 轿内反向指令消除 In-car Reverse Instruction Cancellation
03 抱闸检测保护 Brand Brake Testing and Protection	03 运行曲线自动生成 Automatic Generation of Operation Curves	03 控制系统自诊断 Control System Self-diagnosis
04 端站减速监控 Monitoring of Terminal Speed Reduction	04 停电恢复自动校正 Automatic Recovery Correction after Power Failure	04 误登记取消 Cancellation of Accidental Registration
05 限位保护 Limit Protection	05 修正运行 Correction Operation	05 运行状态显示 Display of Operation State
06 极限保护 Final Limit Protection	06 井道参数自学习 Shaft Parameter Self-learning	06 开门保持时间智能调节 Intelligent Adjustment of Door Opening Time
07 光幕保护 Light Curtain Protection	07 呼梯按钮嵌入自诊断 Self-diagnosis of Embedded Call Buttons	07 关门按钮提前关门 Close Button for Closing Doors in Advance
08 门区外不能开门保护 Protection of Forbidding Door Opening Outside of Door Areas	08 故障记录和诊断 Fault Recording and Diagnosis	08 一键拨号电话机 One-button Phone
09 超速保护 Overspeed Protection	09 干扰评价 Interference Evaluation	09 轿厢到站钟（选配） Car Arrival Bell [Optional]
10 超载报警指示 Overload Warning Indication	10 编码器评价 Coder Evaluation	10 语音报站（选配） Stop Broadcasting [Optional]
11 故障时自动靠站 Automatic Leveling After Breakdowns	11 输入口干扰评价 Evaluation of Input Port Interference	11 语音安抚（选配） Voice Consolation [Optional]
12 电梯受阻保护 Blocking Protection	12 门锁短接检测 Short-circuit Inspection of Door Locks	12 停电自动应急平层 Automatic Emergency Leveling after Power Failure
13 变频器过热保护 Frequency Converter Overheating Protection	13 电网异常检测 Abnormal Inspection of Power Grids	13 电动松闸 Electric Brake Release
14 电梯驱动过电流保护 Drive Over-current Protection	14 紧急电动运行 Emergency Electric Operation	
15 电梯驱动过负载保护 Drive Overload Protection	15 电梯待机自检 Lift Standby Self-inspection	
16 主回路故障保护 Main Circuit Fault Protection	16 静态定位功能 Static Positioning Function	
17 CAN通讯故障保护 CAN Communication Fault Protection	17 控制系统自诊断 Control System Self-diagnosis	
18 门开关故障保护 Door Switch Fault Protection	18 检修零速停车 Zero-speed Stop for Overhauls	

土建图/规格表

开门方式土建图 Door-opening Mode Construction Layout Drawing



世家系列·钢带后置电梯规格表

Well-known Home Series · Specification List of Lifts with Rear-counterweighted Steel Belts

载重量		250		320		400	
结构型式		ZD05 中分	ZD06 旁开	ZD05 中分	ZD06 旁开	ZD05 中分	ZD06 旁开
对重位置		后置		后置		后置	
轿厢净宽 (mm)		1000	1000	1100	1100	1100	1100
轿厢净深 (mm)		950	950	1000	1000	1200	1200
轿厢净高 (mm)		2100	2100	2100	2100	2100	2100
开门宽度 (mm)		650	700	700	750	700	800
开门高度 (mm)		2000	2000	2000	2000	2000	2000
混凝土 井道	井道宽度 (mm)	1400	1350	1500	1450	1500	1500
	井道深度 (mm)	1400	1455	1450	1505	1650	1705
框架 井道	空间宽度 (mm)	1530	/	1630	/	1630	/
	空间深度 (mm)	1530	/	1580	/	1780	/
注：1. 框架外尺寸参照以下数据：框架宽度 =AH+80，框架深度 =BH+80 2. 最小井道尺寸：1150mm×1455mm							

世家系列·钢带侧置电梯规格表

Well-known Home Series · Specification List of Lifts with Side-counterweighted Steel Belts

载重量		250				320				400			
结构型式		ZD01 中分	ZD03 旁开	ZD02 中分贯通	ZD04 旁开贯通	ZD01 中分	ZD03 旁开	ZD02 中分贯通	ZD04 旁开贯通	ZD01 中分	ZD03 旁开	ZD02 中分贯通	ZD04 旁开贯通
对重位置		侧置				侧置				侧置			
轿厢净宽 (mm)		800	800	800	800	900	900	900	900	1000	1000	1000	1000
轿厢净深 (mm)		1000	1000	1000	1000	1100	1100	1100	1100	1250	1250	1250	1250
轿厢净高 (mm)		2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100
开门宽度 (mm)		600	650	600	650	650	700	650	700	700	750	700	750
开门高度 (mm)		2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000
混凝土 井道	井道宽度 (mm)	1350	1350	1380	1350	1450	1450	1450	1450	1550	1550	1550	1550
	井道深度 (mm)	1250	1300	1350	1460	1350	1400	1450	1560	1500	1550	1600	1710
框架 井道	空间宽度 (mm)	1480	/	1510	/	1580	/	1580	/	1680	/	1680	/
	空间深度 (mm)	1380	/	1480	/	1480	/	1580	/	1630	/	1730	/
注：1. 框架外尺寸参照以下数据：框架宽度 =AH+80，框架深度 =BH+80 2. 最小井道尺寸：轿顶轮（1350mm×1200mm）；轿底轮（1350mm×1250mm）													

优家系列·龙门架电梯规格表

Quality Home Series · Specification List of Gantry Lifts

载重量		250		320				400			
结构型式		ZD01 中分	ZD03 旁开	ZD01 中分	ZD03 旁开	ZD02 中分贯通	ZD04 旁开贯通	ZD01 中分	ZD03 旁开	ZD02 中分贯通	ZD04 旁开贯通
对重位置		侧置		侧置		侧置		侧置		侧置	
轿厢净宽 (mm)		800	800	900	900	800	800	1000	1000	1000	1000
轿厢净深 (mm)		1000	1000	1100	1100	1200	1200	1250	1250	1250	1250
轿厢净高 (mm)		2100	2100	2100	2100	2100	2100	2100	2100	2100	2100
开门宽度 (mm)		650	650	700	700	700	700	750	750	750	750
开门高度 (mm)		2000	2000	2000	2000	2000	2000	2000	2000	2000	2000
混凝土 井道	井道宽度 (mm)	1450	1370	1550	1470	1550	1370	1650	1570	1650	1570
	井道深度 (mm)	1250	1300	1350	1400	1550	1660	1500	1550	1600	1710
框架 井道	空间宽度 (mm)	1580	/	1680	/	1680	/	1780	/	1780	/
	空间深度 (mm)	1380	/	1480	/	1680	/	1630	/	1730	/
注：1. 框架外尺寸参照以下数据：框架宽度 =AH+80，框架深度 =BH+80 2. 最小井道尺寸：1370mm×1250mm											

智家系列·集成背包电梯规格表

Smart Home Series · Specification List of Integrated Backpack Lifts

载重量		180	250	320	400
结构型式		SL01 单开	SL01 单开	SL01 单开	SL02 直角
对重位置		后置	后置	后置	后置
轿厢净宽 (mm)		800	900	900	1000
轿厢净深 (mm)		690	800	1100	1100
轿厢净高 (mm)		2100	2100	2100	2100
开门宽度 (mm)		630	800	800	750
开门高度 (mm)		2000	2000	2000	2000
混凝土 井道	井道宽度 (mm)	1000	1150	1150	1150
	井道深度 (mm)	1000	1250	1550	1550
框架 井道	空间宽度 (mm)	1130	1310	1310	1310
	空间深度 (mm)	1130	1410	1710	1710
注：1. 除载重 180kg 外，框架外尺寸参照以下数据：框架宽度 =AH+110，框架深度 =BH+110 2. 当载重 180kg 时，框架外尺寸参照以下数据：框架宽度 =AH+80，框架深度 =BH+80					
3. 除载重 180kg 外，最小井道尺寸：1150mm×1150mm 4. 当载重 180kg 时，最小井道尺寸：900mm×900mm					